


Fig. 1b






Fig. 2




Fig. 4




Fig. 5




Fig. 6





Fig. 7






Fig. 8





Fig. 9








Fig. 11








Fig. 14




Fig. 14a




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22a




Fig. 22b




FIG. 23




FIG. 24B



FIG. 24A



FIG. 24C





FIG. 25

DRAIN ANALYSIS APD


[min]	Cycle 1		Cycle 2		Cycle 3		Cycle 4		Cycle 5	
	Vol. [ml]	Q [l/[min]	Vol. [ml]	Q [l/[min]	Vol. [ml]	Q [l/[min]	Vol. [ml]	Q [l/[min]	Vol. [ml]	Q [l/[min]
0	2330		2752		2503		2665		2736	
1	2131	0.199	2600	0.152	2294	0.209	2490	0.175	2580	0.156
2	1900	0.231	2375	0.225	2087	0.207	2253	0.237	2348	0.232
3	1681	0.219	2158	0.217	1860	0.227	2035	0.218	2120	0.228
4	1453	0.228	1941	0.217	1637	0.223	1809	0.226	1892	0.228
5	1233	0.220	1725	0.216	1420	0.217	1585	0.224	1651	0.241
6	1023	0.210	1499	0.226	1193	0.227	1369	0.216	1421	0.230
7	797	0.226	1292	0.207	976	0.217	1143	0.226	1200	0.221
8	579	0.218	1075	0.217	750	0.226	927	0.216	991	0.209
9	367	0.212	848	0.227	532	0.218	721	0.206	784	0.207
10	173	0.194	644	0.204	326	0.206	512	0.209	583	0.201
11	72	0.101	437	0.207	147	0.179	433	0.079	404	0.179
12	450	0.022	232	0.205	72	0.075	374	0.059	302	0.102
13	229	0.021	74	0.158	35	0.037	307	0.067	228	0.074
14	20	0.009	39	0.035	1	0.031	213	0.094	185	0.043
15	24	0.016	26	0.014	10	0.004	169	0.044	172	0.013
16			7	0.013			121	0.038	125	0.017
17			0	0.007			79	0.022	87	0.038
18							16	0.033	80	0.007
19							26	0.020	64	0.016
20							5	0.021	52	0.012
21							0	0.005	27	0.025
22	Patient BH									
23										
24										

FIG. 26



31 / 41

FIG. 27






FIG. 28




FIG. 29




FIG. 30





FIG. 31






FIG. 33




FIG. 34





FIG. 35

FIG. 36



41 / 41




FIG. 37